



Pentagram Beta



Pentagram Beta

Solid Surface or Quarz display surface
Piano espositivo in Solid Surface o Quarz



Back-painted glass RAL 7021
Vetro Retroverniciato RAL 7021

- 1. HIZONE ExpoWine | Allestimento vini
- 2. ISA **Pentagram** Bar Counter
- 3. ISA **Pentagram** Beta angolare

1.

2.

3.



Pentagram Beta



Perfect integration Integration and flexibility. These are the keywords of Pentagram Beta, which offers perfect visual alignment and display flexibility to the entire Pentagram bar counter collection. The Flat display enhances any type of product, even those of small dimensions. Totally customisable both externally and inside the tub with materials of the highest aesthetic and technical performance. Available Plug-in or Remote, in the linear version with lengths from 100 to 200 cm (25 cm pitch) and 150 cm in the left or right end version.	TN RV Ventilated Chiller +4°C/+8°C Display case with ventilated refrigeration and automatic defrost by stopping the compressor and positive temperature. Ideal for fresh products, pastry and beverages. Also available with Hot plate Dry +4°C/+8°C +65°C/+80°C	TN RV CH Chocolate Chiller +14°C/+16°C Display case with ventilated refrigeration and automatic defrost by stopping the compressor and relative humidity control via probe, positive temperature +14°C/+16°C, ideal for chocolate and pralines. The addition of a dedicated electronic control kit allows humidity to be regulated creating the ideal conditions for maintaining chocolate below 50% relative humidity. The perfect display case for preserving the quality and taste of your creations.	TC S Ventilated with Dry Heated top +65°C/+80°C Dry heat display case with positive temperature, ideal for gastronomy and snacks. The display case is equipped with a hotplate made of scratchproof stratified ceramic with heated glass, which can be easily removed for cleaning thanks to the stainless steel handle. The operating temperature on the hotplate can be adjusted by an electronic control unit up to a maximum of 80°C.
Integrazione perfetta Integrazione e flessibilità. Queste le parole chiave di Pentagram Beta che offre un perfetto allineamento visivo e flessibilità espositive a tutta la collezione di banchi bar Pentagram. L'esposizione Flat esalta qualsiasi tipo di prodotto, anche di dimensioni contenute. Totalmente personalizzabile sia esternamente che nell'interno vasca con materiali di altissime performance estetiche e tecniche. Disponibile Plug-in o Remota, Nella versione lineare con lunghezze da 100 a 200 cm (passo da 25 cm) e 150 cm nella versione terminale SX o DX.	TN RV Ventilata +4°C/+8°C Vetrina a refrigerazione ventilata a temperatura positiva con sbrinamento automatico per fermata compressore. Ideale per prodotti freschi, gastronomia, pasticceria e beverage. Disponibile anche con Piano Caldo Secco +4°C/+8°C +65°C/+80°C	TN RV CH Ventilata Praline +14°C/+16°C Vetrina a refrigerazione ventilata con sbrinamento automatico per fermata compressore e controllo dell'umidità relativa tramite sonda, temperatura positiva. L'ideale per cioccolato e praline. L'aggiunta di un kit elettronico dedicato, permette la regolazione dell'umidità creando le condizioni ottimali per mantenere il cioccolato al di sotto del 50% di umidità relativa. La vetrina perfetta per preservare intatta la qualità e il gusto delle vostre creazioni.	TC S Tavola Calda Secco +65°C/+80°C La vetrina ospita un piano caldo realizzato in ceramica antigraffio stratificata con vetro riscaldato, facilmente estraibile per la pulizia grazie alla maniglia in acciaio inox. La temperatura di esercizio sul piano caldo è regolabile tramite centralina elettronica fino ad un massimo di 80°C.





Pentagram Beta

Flat
exposition

Esposizione
Flat

The Flat display enhances products, even small ones, on a continuous display surface made of Solid Surface that can be highly customised. The shelves are adjustable to three positions with a 20 mm pitch and can accommodate 60x40 cm trays (not supplied).

L'esposizione Flat esalta i prodotti, anche di piccole dimensioni, su un piano espositivo continuo realizzato in Solid surface altamente personalizzabile. I piani sono regolabili a tre posizioni con passo di 20 mm in grado di ricevere vassoi 60x40 cm (non forniti).





- 1. HIZONE Gourmet
- 2. ISA **Pentagram** Bar Counter
- 3. ISA **Pentagram** Beta lineare
- 3. ISA **Pentagram** Celle



Pentagram Beta

H 117
D 86
L 100 • 125 • 150 • 175 • 200

Pastry • Chocolate • Hot plate

Installation • Plug-in • Remote (optional)	Installazione • Plug-in • Remoto (optional)
Temperature • +4/+8 °C (Pastry) • +14/+16 °C (Chocolate) • +65 °C (Hot plate)	Temperatura • +4/+8 °C (Pasticceria) • +14/+16 °C (Pralineria) • +65 °C (Piano caldo)
Refrigerant R290	Refrigerante R290
Refrigeration Ventilated	Refrigerazione Ventilata
Compressor Hermetic	Compressore Ermetico
Defrost Off cycle	Sbrinamento Fermata compressore
Climatic class 3	Classe Climatica 3
Glass structure Extra clear glued glass case with LED lights and sliding doors	Castello vetri Teca fissa in vetro extra chiaro con illuminazione LED e scorrevoli
Rear closing system Plexiglass sliding doors	Chiusura posteriore Scorrevoli in plexiglass
Inside finish Solid surface or quartz	Piano espositivo Superficie solida o quarzo
Lighting LED 5700 K	Illuminazione LED 5700 K
Equipment handling Heigh adjustable feet	Movimentazione Piedini regolabili in altezza



Drop-in exposition version
Versione con esposizione Drop-in

Setup





Pentagram Beta TSX-TDX

H 117
D 86
L 100 • 125 • 150 • 175 • 200


Pastry • Chocolate • Hot plate

Installation • Plug-in • Remote (optional)	Installazione • Plug-in • Remoto (optional)
Temperature • +4/+8 °C (Pastry) • +14/+16 °C (Chocolate) • +65 °C (Hot plate)	Temperatura • +4/+8 °C (Pasticceria) • +14/+16 °C (Pralineria) • +65 °C (Piano caldo)
Refrigerant R290	Refrigerante R290
Refrigeration Ventilated	Refrigerazione Ventilata
Compressor Hermetic	Compressore Ermetico
Defrost Off cycle	Sbrinamento Fermata compressore
Climatic class 3	Classe Climatica 3
Glass structure Extra clear glued glass case with LED lights and sliding doors	Castello vetri Teca fissa in vetro extra chiaro con illuminazione LED e scorrevoli
Rear closing system Plexiglass sliding doors	Chiusura posteriore Scorrevoli in plexiglass
Inside finish Solid surface or quartz	Piano espositivo Superficie solida o quarzo
Lighting LED 5700 K	Illuminazione LED 5700 K
Equipment handling Heigh adjustable feet	Movimentazione Piedini regolabili in altezza




Pentagram Beta


		TDX			TSX		
		RV TN	RV CH	RV TN / TCS	RV TN	RV CH	RV TN / TCS
External dimensions (LxDxH) Dimensioni esterne (LxPxH)	without side panels senza fianchi	1580x880x1170mm			1580x880x1170mm		
	with side panels con fianchi	1630x930x1170mm			1630x930x1170mm		
Capacity (gross/net) Capacità (lorda/netta)		-			-		
Net weight Peso netto		210 kg			215 kg		
Refrigeration Refrigerazione		Ventilated Ventilata		-	Ventilated Ventilata		-
Refrigerant Refrigerante		R290			R290		
Climate class Classe climatica		3					
Operating conditions Condizioni ambientali		25 °C / 60 %RH					
Energy Class Classe energetica		A 1 G G					
Product temperature Temperatura prodotto		+4/+8 °C	+14/+16 °C	+65/+80 °C	+4/+8 °C	+14/+16 °C	+65/+80 °C
Compressor (q.ty - type) Compressore (q.tà - tipologia)		1 - Hermetic 1 - Ermetico		-	1 - Hermetic 1 - Ermetico		-
Defrost Sbrinamento		Off Cycle Fermata compressore		-	Off Cycle Fermata compressore		-
Power supply Alimentazione		230 V / 1 Ph / 50 Hz					
Electrical input (nominal) Assorbimentonto elettrico (regime)		418 W / 3 A	502 W / 2,7 A	930 W / 04,5 A	418 W / 3 A	502 W / 2,7 A	930 W / 04,5 A
Electrical input (defrost) Assorbimento elettrico (sbrinamento)		229 W / 1,3 A		-	229 W / 1,3 A		-
Technical sheet about models whit condensing unit included with air cooled Dati tecnici riferiti a modelli con unità a bordo con condensazione ad aria							
Setup Allestimento							
Bottom shelf (LxD) Ripiano di fondo (LxP)		1480 x 602 mm			1480 x 602 mm		



RV CH Chocolate Chiller
RV CH Ventilata Praline



RV Ventilated Chiller
RV Ventilata



TC S Dry Heated
TC S Tavola Calda Secca

Pentagram Beta

Stone
Frontal panel



Plain Liscio

Solid Surface
Frontal panel
Top/Piani



Plain Liscio

Milled Fresato

Quartz
Top/Piani



Plain Liscio

Woods & Colors
Frontal panel



Plain Liscio

Milled Fresato

Profile, legs
and bases

Varnish

Profili, gambe
e basamenti

Vernice



Ceppo di Grè



Brera



Grigio Carnico



Golden White



Imperiale



Elegant



Cristal Black



Messina



Etna



Marmo bianco T102



Grigio classico T905



Grafite classico T901



Ardenne



City dark



City grey



Acciaio inox AISI 304



Lyskamm



Sabbia beige



HZE-03 Oak - Rovere



HZE-04 Dark Oak - Rovere Scuro



HZE-05 Teak



RAL on demand
(ex.18-5338 TCX Ultramarine Green)



RAL 9013 White / RAL 9005 Black



Metallic paint



Blu Grigio



Elox Bronzo



Grigio Peltro



Bronzo Rame



Bruno Oliva



Black RAL 9005